












SHENZHEN OSCAN ELECTRONICS CO.,LTD

Office Address:Room 506, Building 2A, Zhong Liang Xiang Yun Square,Ailian Community, Longcheng Street, Longgang District, Shenzhen,China

Tel: 0755-23733269 Mobile:+86-15220093320 Website: www.oscytech.com

Metal case Monitor		
Model	Mian specifcation	Picture
OHM-1010M(B)	1.Display Type:16:9 Ratio 10.1" LED panel 2. Resolution:1024*600/ 1366*768 3.Contrast:300:1 4.Brightness:250cd/m2 5.Color System:PAL NTSC 6.Angle Viewing:45/45/15/30 (Min.)(CR≥10) 7. Monitor interface: HDMI/BNC/VGA/AV/USB reader 8.Backlight:LED 9.Signal interface:LVDS 10.Working Temperature :0-60° 11.Monitor Size: 28.19*15.49*3.81cm 12.Active Display Area :222.72(W)*125.28(H) 13.Speaker:optional 14.Languange:8 languages 15.VESA mount:75*75mm 16.Power:DC12V 1A 17. Accessaries standard with VGA cable/ HDMI cable/AV cable and remote control	
OHM-1200M(B)	1.Display Type:16:9 Ratio 12" LED panel 2. Resolution:1280*800 3.Contrast:300:1 4.Brightness:250cd/m2 5.Color System:PAL NTSC 6.Angle Viewing:45/45/15/30 (Min.)(CR≥10) 7. Monitor interface: HDMI/BNC/VGA/AV/USB reader 8.Backlight:LED 9.Signal interface:LVDS 10.Working Temperature :0-60° 11.Monitor Size: 32*19.3*3.81cm 12.Active Display Area :222.72(W)*125.28(H) mm 13.Speaker:optional 14.Languange:8 languages 15.VESA mount:75*75mm 16.Power:DC12V 1A 17. Accessaries standard with VGA cable/ HDMI cable/AV cable and remote control	
OHM-1500M	1.Display Type:4:3 Ratio 15" LED panel 2.Resolution:1024*768 3.Contrast:600:1 4.Brightness:250cd/m2 5.Panel: Industrial grade sharp or Mitsubishi panel 6.Color System:PAL NTSC 7.Angle Viewing:160°/160° 8.VGA/HDMI/AV/BNC/USB Reader (VGA/HDMI/DVI same price) 9.Signal interface:LVDS 10.Working Temperature :0-60° 11.Monitor Size: 343*266*50mm 12.Active Display Area :306*229mm 13.Speaker:optional 14.Languange:8 languages 15.VESA mount:75*75mm and 100*100mm 16.Power:DC12V 3A 17.Accessaries standard with VGA cable 18. The prices below are not including the desktop metal stands Noted: Speaker for free when with HMDI and AV input Open frame type no need to add price	

OHM-1700M	<p>1.Display Type:4:3 Ratio 17" LED panel 2.Resolution:1280*1024 3.Contrast:600:1 4.Brightness:250cd/m2 5.Panel: Industrial grade AU panel 6.Color System:PAL NTSC 7.Angle Viewing:160°/160° 8.VGA/HDMI/AV/BNC/USB (VGA/HDMI/DVI same price) 9.Signal interface:LVDS 10.Working Temperature :0-60° 11.Monitor Size: 364.5*304*50mm 12.Active Display Area :338.4*270.8mm 13.Speaker:optional 14.Languange:8 languages 15.VESA mount:75*75mm and 100*100mm 16.Power:DC12V 3A 17.Accessaries standard with VGA cable 18.The prices below are not including the desktop metal stands Noted: Speaker for free when with HMDI and AV input Open frame type no need to add price</p>	
OHM-1900M	<p>1.Display Type:4:3 Ratio 19" LED panel 2.Resolution:1280*1024 3.Contrast:800:1 4.Brightness:250cd/m2 6.Color System:PAL NTSC 7.Angle Viewing:160°/160° 8.VGA/HDMI/AV/BNC/USB (VGA/HDMI/DVI same price) 9.Signal interface:LVDS 10.Working Temperature :0-60° 11.Monitor Size: 399.4*327.4*50mm 12.Active Display Area :377.2*301.8mm 13.Speaker:optional 14.Languange:8 languages 15.VESA mount:75*75mm and 100*100mm 16.Power:DC12V 3A 17.Accessaries standard with VGA cable 18.The prices below are not including the desktop metal stands Noted: Speaker for free when with HMDI and AV input Open frame type no need to add price</p>	
OHM-1901M	<p>1.Display Type:16:10 Ratio 19" LED panel 2.Resolution:1440*900 3.Contrast:800:1 4.Brightness:300cd/m2 6.Color System:PAL NTSC 7.Angle Viewing:160°/160° 8.VGA/HDMI/AV/BNC/USB reader (VGA/HDMI/DVI same price) 9.Signal interface:LVDS 10.Working Temperature :0-60° 11.Monitor Size: 434*284*50mm 12.Active Display Area :410*258mm 13.Speaker:optional 14.Languange:8 languages 15.VESA mount:75*75mm and 100*100mm 16.Power:DC12V 3A 17.Accessaries standard with VGA cable 18.The prices below are not including the desktop metal stands Noted: Speaker for free when with HMDI and AV input Open frame type no need to add price</p>	

OHM-2150M	<p>Model:OHM-2105M Display Type: 16:9 Ratio Panel: Normal Panel Resolution: 1920*1080 Contrast: 800:1 Brightness: 250cd/m2 Color System: PAL NTSC Angle Viewing: 160°/160° Monitor interface: VGA/HDMI/AV/BNC/USB reader (VGA/HDMI/DVI same price) Backlight: LED Working Temperature : 0-60° Monitor Size: 500*295*50mm Active Display Area : 475.2*267.3mm Speaker: optional Language: 8 languages VESA mount: 75*75mm and 100*100mm Power: DC12V 3.3A 17.Accessories standard with VGA cable 18.The prices below are not including the desktop metal stands Noted: Speaker for free when with HMDI and AV input Open frame type no need to add price</p>	
Metal Stands optional		
MS-06	with 100*100mm VESA mount, wall mount stand	 <p>Wall bracket optional</p>
MS-09	with 75*75mm and 100*100mm VESA mount optional, half metal, folding type	
MS-10	with 75*75mm and 100*100mm VESA mount optional, full metal	